

RIGA

oktaplex
lighting



17013.3K | 17014.3K | 17015.3K | 17089.3K
17013.4K | 17014.4K | 17015.4K | 17089.4K



DE - Montageanleitung
FR - Instructions de montage
ES - Instrucciones de montaje
IT - Istruzioni per il montaggio

NL - Montage-instructies
SE - Monteringsanvisningar
CZ - Návod k montáži
SK - Návod na montáž

RO - Instrucțiuni de montaj
PL - Instrukcje montażu
GB - Mounting instructions
PT - Instruções de montagem




RIGA

Erweiterbare LED- Leuchte für Innen mit Schalter / Luminaire LED d'intérieur extensible avec interrupteur / Luz LED interior extensible con interruptor / Luce interna a LED estensibile con interruttore / Uitschuifbare LED-binnenverlichting met schakelaar / Utdragbar invändig LED-lampa med strömbrytare / Výsuvné vnitřní světlo LED s vypínačem / Výsuvné vnutorné svetlo LED s vypínačom / Lumină interioară extensibilă cu LED cu întrerupător / Wysuwane wewnętrzne oświetlenie LED z przelącznikiem / Extendable LED light for indoor with switch / Luz LED extensível para interior com interruptor

	17089.3K 17089.4K	17013.3K 17013.4K	17014.3K 17014.4K	17015.3K 17015.4K
Nennspannung / Tension nominale / Tensión nominal / Tensione nominale / Nominaal voltage / Märkspänning / Jmenovitě napětí / Menovitě napätie / Tensiunea nominală / Napięcie nominalne / rated voltage / Tensão nominal	180-265 V/AC 50-60 Hz			
Nennleistung / Puissance nominale / Potencia nominal / Potenza nominale / Nominaal vermogen / Märkeffekt / Jmenovitý výkon / Menovitý výkon / Putere nominală / Moc znamionowa / rated power / Potência nominal	4 W 4 W	9 W 8,8 W	13 W 12,7 W	18 W 18 W
Lichtleistung / Puissance lumineuse / Potencia luminosa / Potenza luminosa / Lichtrendement / Ljusflöde / Světelný výkon / Svetelný výkon / Producția de lumină / Moc światła / Light output / Saída de luz	340 lm 370 lm	810 lm 840 lm	1170 lm 1270 lm	1620 lm 1630 lm
Farbtemperatur / Température de couleur / Temperatura de color / Temperatura di colore / Kleurtemperatuur / Färgtemperatur / Teplota barev / Teplota farieb / Temperatura de culoare / Temperatura barwo-wa / Color temperature / Temperatura de cor	3000 K 4000 K	3000 K 4000 K	3000 K 4000 K	3000 K 4000 K
Farbwiedergabeindex / Ra / IRC / CRI / Index farebného podania	RA ≥ 80			
Energieeffizienzklasse / Classe d'efficacité énergétique / Clase de eficiencia energética / Classe di efficienza energetica / Energie-efficiëntieklasse / Klass för energieeffektivitet / Trieda energetickej účinnosti / Třída energetické účinnosti / Clasa de eficiență energetică / Klasa efektywności energetycznej / Energy efficiency class / Classe de eficiència energética				
Schutzklasse / Indice de protection / Clase de protección / Classe di protezione/ Beschermingsklasse / Skyddsklass / Třída ochrany / Trieda ochrany / Clasa de protecție / Klasa ochrony / Protection class / Classe de proteção	II			
Schutzart / Indice de protection IP / grado de protección / Livello di protezione IP / IP mate van bescherming / IP-klass / Stupeň ochrany / Stupeň IP ochrany / Clasa de protecție IP / Klasa ochrony IP / Protection class / Classe de proteção	IP20			
Umgebungstemperatur / Température ambiante / Temperatura ambiente / Temperatura ambiente / Omgevingstemperatuur / Omgivningstemperatur / Okolní teplota / Okolită teplota / Temperatura ambientă / Temperatura otoczenia/ Ambient temperature/ Temperatura ambiente	-20 °C - +40 °C			






INSTALLATION



17089.XX

17013.XX


2x



17014.XX

17015.XX

3x





17089.XX


17013.XX

17014.XX



17015.XX




A:



B:



INSTALLATION



ETAPLEX GmbH · Höherweg 245 · 40231 Düsseldorf · Germany
 +49 211 9726 4070 · info@etaplex.de · oktaplex.de