

SIA
22055


oktaplex
motion



DE - Montageanleitung
FR - Instructions de montage
ES - Instrucciones de montaje
IT - Istruzioni per il montaggio

NL - Montage-instructies
SE - Monteringsanvisningar
CZ - Návod k montáži
SK - Návod na montáž

RO - Instrucțiuni de montaj
PL - Instrukcje montażu
GB - Mounting instructions
PT - Instruções de montagem



WhatsApp



FR

Cet appareil,
ses accessoires,
piles et câbles
se recyclent



Al Azul
Envase Cartón

Points de collecte sur www.quefairendemesdechets.fr

Bewegungsmelder mit Steckdose (Typ F) für Innen / Détecteur de mouvement avec prise (type F) pour l'intérieur / Detector de movimiento con enchufe (tipo F) para interiores / Rilevatore di movimento a infrarossiper interni / Rilevatore di movimento con presa (tipo F) per interni / Bewegungsmelder met stopcontact (type F) voor binnen / Rörelsedetektor med uttag (typ F) för inomhusbruk / Detektor pohybu se zásuvkou (typ F) pro vnitřní prostory / Detektor pohybu so zásuvkou (typ F) pre interiér / Detector de mișcare cu priză (tip F) pentru interior / Czujnik ruchu z gniazdem (typ F) do zastosowań wewnętrznych / Motion detector with socket (type F) for indoors / Detetor de movimentos com tomada (tipo F) para interiores

Nennspannung / Tension nominale / Tensión nominal / Tensione nominale / Nominaal voltage / Märkspänning / Jmenovité napětí / Menovité napätie / Tensiunea nominală / Napięcie nominalne / rated voltage / tensão nominal

AC 220-240 V
50-60 Hz

Nennleistung / Puissance nominale / Potencia nominal / Potenza nominale / Nominaal vermogen / Märkeffekt / Jmenovitý výkon / Menovitý výkon / Putere nominală / Moc znamionowa / rated power / potência nominal

0,5 W

Maximale Schaltlast / Charge maximale commutable / Carga máxima de conmutación / Carico massimo commutabile / Maximale schakelbelasting / Maximal kopplingsbelastning / Maximální spínací zátěž / Maximálne spínacie zafazenie / Sarcina maximă de comutare / Maksymalne obciążenie przełączające / Maximum switching load / Carga máxima de comutação



1200 W



300 W

Minimale Schaltlast / Charge de commutation minimale / Carga de conmutación mínima / Carico minimo di commutazione / Minimale schakelbelasting / Minimal kopplingsbelastning / Minimální spínací zátěž / Minimálne spínacie zafazenie / Sarcina minimă de comutare / Minimalne obciążenie przełączające / Minimum switching load / Carga mínima de comutação

2 W

Schutzklasse / Indice de protection / Clase de protección / Classe di protezione / Beschermingsklasse / Skyddsklass / Třída ochrany / Trieda ochrany / Clasa de protecție / Klasa ochrony / Protection class / Classe de proteção

I


Umgebungstemperatur / Température ambiante / Temperatura ambiente / Temperatura ambiente / Omgevingstemperatuur / Omgivningstemperatur / Okolní teplota / Okolită teplota / Temperatura ambiantă / Temperatura otoczenia / Ambient temperature / Temperatura ambiente

-20 °C - +40 °C



INSTALLATION

i




Type F

Red light OFF when the switch is OFF.

Red light ON when the switch is ON.

Red light On when switch is on AUTO
if movement is detected.

Red light OFF when switch is on AUTO
if no movement is detected.





i

max. Load

1200 W 

300 W 



ON ➡ power on

OFF ➡ power off

AUTO ➡ sensor mode

SETTINGS

